



**Tree Survey Key**

- Select of the canopy
- Potential Root Protection Area (RPPA)
- BS 5837 Category (See Below)
- Tree Survey Number

**BS 5837 Category**  
(See Tree Survey for further details)

**Category 1L Red Stem Disc**  
Those in such a condition that any existing value would be lost within 10 years and which should in the current context, be removed for reasons of sound arboricultural management.

**Category 1A Green Stem Disc**  
Those of high quality and value - in such a condition as to be able to make a substantial contribution (a minimum of 40 years is suggested).

**Category 1B Blue Stem Disc**  
Those of moderate quality and value - those in such a condition as to make a significant contribution (a minimum of 20 years is suggested).

**Category 1C Grey Stem Disc**  
Those of low quality and value - currently in adequate condition to remain until new planting could be established (a minimum of 10 years is suggested), or young trees with a stem diameter below 100 mm.

39 Blythwood Park,  
Blyth Road, Bromley,  
Kent, BR1 3TN

Tree Constraint Plan (TCP)

Treeline Services Ltd

01306 741 800 info@treeline.co.uk www.treeline.co.uk

Scale	NTS @ A0	Drawn by	JB
Date	23/01/2015	Checked by	JJ
Project No.	26403		
Drawg. No.	TCP 1		